

**Commonwealth of Kentucky  
Environmental and Public Protection Cabinet  
Department for Environmental Protection  
Division for Air Quality  
803 Schenkel Lane  
Frankfort, Kentucky 40601  
(502) 573-3382**

**AIR QUALITY PERMIT  
Issued under 401 KAR 52:030**

**Permittee Name:** Pittsburg Tank & Tower, Elevated Tank  
Division, Inc.  
**Mailing Address:** Pittsburg Tank & Tower, Elevated Tank  
Division, Inc., 1329 US Hwy, Sebree, KY 42455

**Source Name:** Pittsburg Tank & Tower, Elevated Tank  
Division, Inc.  
**Mailing Address:** Same as above

**Source Location:** 1329 US Hwy 41, Sebree, KY 42455


**Permit Number:** F-05-028  
**Source A. I. #:** 35816  
**Activity #:** APE20040001  
**Review Type:** Operating  
**Source ID #:** 21-233-00078

**Regional Office:** Owensboro Regional Office  
3032 Alvey Park Dr., STE 700  
Owensboro, KY 42303-2191  
(270) 687-7304

**County:** Webster

**Application**  
**Complete Date:** December 19, 2003  
**Issuance Date:** November 14, 2005  
**Revision Date:**  
**Expiration Date:** November 14, 2010

E-Signed by Diana Andrews  
VERIFY authenticity with ApproveIt 



**John S. Lyons, Director  
Division for Air Quality**

## TABLE OF CONTENTS

SECTION	DATE OF ISSUANCE	PAGE
A. PERMIT AUTHORIZATION	11/14/2005	1
B. EMISSION POINTS, EMISSIONS UNITS, APPLICABLE REGULATIONS, AND OPERATING CONDITIONS	11/14/2005	2
C. INSIGNIFICANT ACTIVITIES	11/14/2005	6
D. SOURCE EMISSION LIMITATIONS AND TESTING REQUIREMENTS	11/14/2005	7
E. SOURCE CONTROL EQUIPMENT OPERATING REQUIREMENTS	11/14/2005	10
F. MONITORING, RECORDKEEPING, AND REPORTING REQUIREMENTS	11/14/2005	11
G. GENERAL PROVISIONS	11/14/2005	14
H. ALTERNATE OPERATING SCENARIOS	11/14/2005	19
I. COMPLIANCE SCHEDULE	11/14/2005	19

## **SECTION A - PERMIT AUTHORIZATION**

Pursuant to a duly submitted application the Kentucky Division for Air Quality hereby authorizes the operation of the equipment described herein in accordance with the terms and conditions of this permit. This permit has been issued under the provisions of Kentucky Revised Statutes Chapter 224 and regulations promulgated pursuant thereto.

The permittee shall not construct, reconstruct, or modify any affected facilities without first submitting a complete application and receiving a permit for the planned activity from the permitting authority, except as provided in this permit or in 401 KAR 52:030, Federally-enforceable permits for non-major sources.

Issuance of this permit does not relieve the permittee from the responsibility of obtaining any other permits, licenses, or approvals required by this Cabinet or any other federal, state, or local agency.

## **SECTION B - AFFECTED FACILITIES, APPLICABLE REGULATIONS, AND OPERATING CONDITIONS (CONTINUED)**

### **EU01 (01)**

#### **Shot Blasting**

Process Equipment: Abrasive blasting room for metal parts

Raw material used: Steel shot blast media

Maximum quantity input of raw material: 11,760 lb/hour

Control Equipment: Cartridge pulse-jet dust collection system.

Control Efficiency: 99.99%

Date Installed: February, 2004

Location: Blast/paint building

### **APPLICABLE REGULATION:**

401 KAR 59:010, New process operations applicable to each emission unit which commenced construction on or after July 2, 1975.

1. **Operating Limitations:** The usage rate of raw materials used in all affected facilities shall be limited so that the emission limitations set forth in item 2, below, are not exceeded.

2. **Emission Limitations:**

Opacity and mass limits apply during shot blasting operations:

(i) Visible emissions shall not equal or exceed 20% opacity.

401 KAR 59:010, § 3(1)(a).

(ii) Particulate emissions shall not equal or exceed the emission rate determined by the following equation:

$$E = 3.59(P)^{(0.62)}$$

Where,

E = Emission rate in pounds per hour.

P = Process input weight rate of steel shot media.

401 KAR 59:010, § 3(2).

Compliance Demonstration Method: See Monitoring and Record Keeping Requirements

3. **Testing Requirements:** Testing shall be conducted at such times as may be required by the Cabinet in accordance with 401 KAR 59:005, § 2(2) and 50:045, § 4.

4. **Specific Monitoring Requirements:**

A. A qualitative visual observation of the opacity of emissions shall be performed from the stack on a weekly basis and a log of the observations maintained when the unit is operating. If visible emissions from the stack are seen (not including condensed water vapor within the plume), then the opacity shall be determined by Reference Method 9. If emissions are in excess of the applicable opacity limit, then an inspection shall be initiated of control equipment for all necessary repairs.

B. Daily monitoring of cartridge filter house pressure drop shall be conducted on days when the unit is in operation.

C. See Section D.7.

**SECTION B - AFFECTED FACILITIES, APPLICABLE REGULATIONS, AND OPERATING CONDITIONS (CONTINUED)**

**5. Specific Record Keeping Requirements:**

- A. A weekly log of qualitative visual observations of opacity shall be maintained.
- B. Records documenting the results of each opacity reading by EPA Reference Method 9 shall be maintained.
- C. Records documenting the results of any required inspection and repair, as a result of a recorded opacity over 20%.
- D. The cartridge filter house pressure drop shall be recorded daily on days when the unit is operating.
- E. See Section D.7.

**6. Specific Reporting Requirements:** See Section F.5 & F.6

**7. Specific Control Equipment Operating Conditions:**

Filter houses shall be maintained and operated in accordance with manufacturer's recommendations.

**SECTION B - AFFECTED FACILITIES, APPLICABLE REGULATIONS, AND OPERATING CONDITIONS (CONTINUED)**

**EU02 (02)**

**Paint Booth**

**Description:** Priming of steel water tanks utilizing one (1) airless operated spray gun. Raw materials used: Paint and solvent.  
Maximum quantity input of raw material: 12.5 gallons/hour of paint mixed with solvent.  
Control Equipment: Exhaust system equipped with tackified polyester, diffusion media roll type filters  
Control Efficiency: 99.9%  
Construction Date: February, 2004  
Location: Blast/paint building

**APPLICABLE REGULATION:**

401 KAR 59:010, New process operations applicable to each emission unit which commenced construction on or after July 2, 1975.

401 KAR 63:020, Potentially Hazardous Matter and Toxic Substance Emissions, applies to the potentially hazardous matter and toxic substance emissions from affected facilities.

**1. Operating Limitations:** The following limits shall apply to assure compliance with Emission Limitation C (ii).

- A. Filters shall be in place at all times during paint application.
- B. Filters shall be replaced when determined to be inefficient (as determined through visual inspection).

**2. Emission Limitations:**

- A. Source wide VOC emissions shall be less than or equal to 90.0 tons during any twelve (12) consecutive month period.  
See Section D, Compliance Demonstration Method (A).
- B. HAP emissions shall not equal or exceed 9.0 tons per year of any single HAP or 22.5 tons per year of any combination of HAPs. These annual source wide limitations shall not be exceeded during any consecutive twelve (12) month period for the entire source.  
See Section D, Compliance Demonstration Method (B).
- C. Opacity and mass limits apply during painting operations:
  - (i) Visible emissions shall not equal or exceed 20% opacity.  
401 KAR 59:010, § 3(1)(a).
  - (ii) Particulate emissions shall not equal or exceed 2.34 lbs/hour.  
401 KAR 59:010, § 3(2).See Specific Monitoring Requirements for compliance with C (i).  
See Specific Control Equipment Operating Conditions for compliance with C (ii).
- D. 401 KAR 63:020: See Section D.5, Compliance Demonstration Method (B), for emission limitations and compliance requirements.

## **SECTION B - EMISSION POINTS, EMISSIONS UNITS, APPLICABLE REGULATIONS, AND OPERATING CONDITIONS (CONTINUED)**

### **3. Testing Requirements:**

Testing shall be conducted at such times as may be required by the Cabinet in accordance with 401 KAR 59:005, § 2(2) and 50:045, § 4.

### **4. Specific Monitoring Requirements:**

- A. A qualitative visual observation of the opacity of emissions shall be performed from the stack on a weekly basis and a log of the observations maintained when the unit is operating. If visible emissions from the stack are seen (not including condensed water vapor within the plume), then the opacity shall be determined by Reference Method 9. If emissions are in excess of the applicable opacity limit, then an inspection shall be initiated of control equipment for all necessary repairs.
- B. The filters shall be visually inspected for solids build-up on days when the units are operating.
- C. The twelve-month rolling average VOC emissions shall be monitored monthly.
- D. The twelve-month rolling average single and combined HAP emissions shall be monitored monthly.
- E. See Section D.7.

### **5. Specific Recordkeeping Requirements:**

- A. The permittee shall maintain monthly records of the purchase and usage of the paints and solvents or any VOC/HAP containing material. See Section D.3 and D.4.
- B. Records documenting the results of each opacity reading by EPA Reference Method 9 shall be maintained.
- C. Records documenting the results of any required inspection and repair, as a result of a recorded opacity over 20%.
- D. The visual inspection of the booth filters shall be recorded daily on days when the units are operating.
- E. A weekly log of qualitative visual observations of opacity shall be maintained.
- F. The twelve-month rolling average VOC emissions shall be recorded monthly.
- G. The twelve-month rolling average single and combined HAP emissions shall be recorded monthly.
- H. See Section D.7.

### **6. Specific Reporting Requirements:**

The permittee shall submit an emissions calculations worksheet, which utilizes product specific emission factors. These worksheets shall be submitted as a hardcopy and shall serve as the method of determining compliance with the source wide limitations for HAP and VOC emissions. See Section F.5 & F.6.

### **7. Specific Control Equipment Operating Conditions:**

Exhaust filters shall be in place at all times when the booth is operating and shall be changed as needed to comply with the emission limitations.

## SECTION C - INSIGNIFICANT ACTIVITIES

The following listed activities have been determined to be insignificant activities for this source pursuant to 401 KAR 52:030, Section 6. While these activities are designated as insignificant the permittee must comply with the applicable regulation and some minimal level of periodic monitoring may be necessary.

<u>Description</u>	<u>Generally Applicable Regulation</u>
1. Welding & Cutting	401 KAR 59:010



**SECTION D - SOURCE EMISSION LIMITATIONS AND TESTING REQUIREMENTS**

1. As required by Section 1b of the *Cabinet Provisions and Procedures for Issuing Federally-Enforceable Permits for Non-Major Sources* incorporated by reference in 401 KAR 52:030 Section 10, compliance with annual emissions and processing limitations contained in this permit, shall be based on emissions and processing rates for any twelve (12) consecutive months.
2. Source wide Volatile Organic Compound (VOC) emissions, as measured by methods referenced in 401 KAR 50:015, Section 1, shall not exceed the respective limitations specified herein.
3. VOC emissions shall not exceed 90 tons during any consecutive twelve (12) month period. Monthly records to demonstrate compliance with this limitation shall be maintained and total VOC emissions shall be reported on a semi-annual basis. VOC emissions shall be calculated and recorded on a *monthly* basis. These records shall be summarized in tons per month of VOC emissions; subsequently, tons of VOC emissions per rolling 12-month period shall be recorded. In addition, these records shall demonstrate compliance with the VOC emission limitations listed herein for the conditional major limitations. These records shall be maintained on site for a period of five years from the date the data was collected and shall be provided to the Division upon request.
4. The emissions of any individual Hazardous Air Pollutant (HAP) shall not exceed nine (9) tons during any consecutive twelve (12) month period. The emissions of combined HAP shall not exceed twenty-two and one-half (22.5) tons per year. Monthly records, which demonstrate compliance with this limitation, shall be maintained and total HAP emissions shall be reported on a semi-annual basis. HAP emissions shall be calculated and recorded on a *monthly* basis. These records shall be summarized in tons per month HAP emissions; subsequently, tons of HAP emissions per rolling 12-month period shall be recorded. In addition, these records shall demonstrate compliance with HAP emission limitations listed herein for the conditional major limitations. These records, as well as purchase orders and invoices for all HAP containing materials, shall be maintained on site for a period of five years from the date the data was collected and shall be provided to the Division upon request.
5. As required by 401 KAR 63:020, § 3, no owner or operator shall allow any affected facility to emit potentially hazardous matter or toxic substances in such quantities or duration as to be harmful to the health and welfare of humans, animals and plants. The emissions of methylene diphenyl diisocyanate (MDI) (CAS No. 101-68-8) shall not exceed sixty-six hundredths (0.66) tons (1,324 lb) during any consecutive twelve (12) month period. Monthly records which demonstrate compliance with this limitation shall be maintained and total MDI emissions shall be reported on a semi-annual basis. MDI emissions shall be calculated and recorded on a *monthly* basis. These records shall be summarized in tons per month MDI; subsequently, tons of MDI emissions per rolling 12-month period shall be recorded. In addition, these records shall demonstrate compliance with MDI emission limitations listed herein. These records, as well as purchase orders and invoices for all MDI containing materials, shall be maintained on site for a period of five years from the date the data was collected and shall be provided to the Division upon request.

## SECTION D - SOURCE EMISSION LIMITATIONS AND TESTING REQUIREMENTS (CONTINUED)

6. If the source alters process rates, material formulations, or any other factor that will result in an increase of emissions or the addition of toxic emissions not previously evaluated by the Division, the source shall submit the appropriate application forms pursuant to 401 KAR 52:020, along with modeling to show that the facility will remain in compliance with 401 KAR 63:020.
7. Where there is weekly monitoring and record keeping requirements in this permit, the monitoring and record keeping shall be required if the emission unit operated any day or portion of a day during the week. Where there is daily monitoring and record keeping requirements in this permit, the monitoring and record keeping shall be required if the emission unit operated any portion of the day.

### Compliance Demonstration Method:

#### (A) For VOC:

$$\text{VOC emitted (lbs/month)} = \sum [\text{VOC emissions from paint and cleaning solvents}]$$

$$E_{\text{VOC}} = \sum [Q * C_{\text{VOC}}]$$

Where:

$E_{\text{VOC}}$  = Total VOC emissions (lb/month)

$Q$  = Usage rate of material (gal/month)

$C_{\text{VOC}}$  = VOC content of material (lb/gal)

VOC content of material ( $C_{\text{VOC}}$ ) is obtained from the manufacturer's technical specification sheet.

$$\text{Source-wide VOC emissions} = \sum [\text{VOC emissions from paint and cleaning solvents}]$$

#### (B) For volatile HAP

$$\text{HAP emitted (lbs/month)} = \sum [\text{HAP emissions from paint and cleaning solvents}]$$

$$E_{\text{HAP}i} = Q * d * \frac{\text{wt}\%_{\text{HAP}i}}{100}$$

Where:

$E_{\text{HAP}i}$  = Emissions of HAP "i" (lb/month)

$Q$  = Material usage rate (gal/month)

$d$  = Density of the material used (lb/gal)

$\text{wt}\%_{\text{HAP}i}$  = Weight percent of HAP "i" in material (%)

The density ( $d$ ) and the weight percent of HAP "i" ( $\text{wt}\%_{\text{HAP}i}$ ) is obtained from the manufacturer's technical specification sheet. The weight percent of HAP "i" should consider any solvent or other material added to the coating.

**SECTION D - SOURCE EMISSION LIMITATIONS AND TESTING REQUIREMENTS (CONTINUED)****(C) For nonvolatile HAP**

HAP emitted (lbs/month) =  $\sum$  [HAP emissions from painting operations]

$$E_{\text{HAP}} = \sum [Q * C_{\text{HAP}} * (1 - \text{T.E.}/100) * (1 - \text{C.E.}/100)]$$

Where:

$E_{\text{HAP}}$  = HAP emissions (lb/month)

$Q$  = Usage rate of material (gal/month)

$C_{\text{HAP}}$  = HAP content of material (lb/gal)

T.E. = Transfer efficiency of the application equipment (%)

C.E. = Control efficiency of the PM/PM<sub>10</sub> abatement equipment (%)

Where:

The HAP content of the material ( $C_{\text{HAP}}$ ) shall be determined from the manufacturer's technical specification sheet. The transfer efficiency for a particular product and application technique can be obtained from the application equipment manufacturer or from technical references such as *AP-42* (EPA, 1995a).

## **SECTION E - SOURCE CONTROL EQUIPMENT REQUIREMENTS**

1. Pursuant to 401 KAR 50:055, Section 2(5), at all times, including periods of startup, shutdown and malfunction, owners and operators shall, to the extent practicable, maintain and operate any affected facility including associated air pollution control equipment in a manner consistent with good air pollution control practice for minimizing emissions. Determination of whether acceptable operating and maintenance procedures are being used will be based on information available to the Division which may include, but is not limited to, monitoring results, opacity observations, review of operating and maintenance procedures, and inspection of the source.

## **SECTION F - MONITORING, RECORDKEEPING, AND REPORTING REQUIREMENTS**

1. Pursuant to Section 1b (IV)(1) of the *Cabinet Provisions and Procedures for Issuing Federally-Enforceable Permits for Non-Major Sources* incorporated by reference in 401 KAR 52:030 Section 10, when continuing compliance is demonstrated by periodic testing or instrumental monitoring, the permittee shall compile records of required monitoring information that include:
  - a. Date, place (as defined in this permit), and time of sampling or measurements;
  - b. Analyses performance dates;
  - c. Company or entity that performed analyses;
  - d. Analytical techniques or methods used;
  - e. Analyses results; and
  - f. Operating conditions during time of sampling or measurement.
2. Records of all required monitoring data and support information, including calibrations, maintenance records, and original strip chart recordings, and copies of all reports required by the Division for Air Quality, shall be retained by the permittee for a period of five years and shall be made available for inspection upon request by any duly authorized representative of the Division for Air Quality[401 KAR 52:030 Section 3(1)(f)1a and Section 1a (7) of the *Cabinet Provisions and Procedures for Issuing Federally-Enforceable Permits for Non-Major Sources* incorporated by reference in 401 KAR 52:030 Section 10].
3. In accordance with the requirements of 401 KAR 52:030 Section 3(1)f the permittee shall allow authorized representatives of the Cabinet to perform the following during reasonable times:
  - a. Enter upon the premises to inspect any facility, equipment (including air pollution control equipment), practice, or operation;
  - b. To access and copy any records required by the permit;
  - c. Sample or monitor, at reasonable times, substances or parameters to assure compliance with the permit or any applicable requirements.Reasonable times are defined as during all hours of operation, during normal office hours; or during an emergency.
4. No person shall obstruct, hamper, or interfere with any Cabinet employee or authorized representative while in the process of carrying out official duties. Refusal of entry or access may constitute grounds for permit revocation and assessment of civil penalties.
5. Summary reports of any monitoring required by this permit, other than continuous emission or opacity monitors, shall be submitted to the Regional Office listed on the front of this permit at least every six (6) months during the life of this permit, unless otherwise stated in this permit. For emission units that were still under construction or which had not commenced operation at the end of the 6-month period covered by the report and are subject to monitoring requirements in this permit, the report shall indicate that no monitoring was performed during the previous six months because the emission unit was not in operation.

## **SECTION F - MONITORING, RECORDKEEPING, AND REPORTING REQUIREMENTS (CONTINUED)**

6. The semi-annual reports are due by January 30th and July 30th of each year. All reports shall be certified by a responsible official pursuant to 401 KAR 52:030 Section 22. All deviations from permit requirements shall be clearly identified in the reports.
7. In accordance with the provisions of 401KAR 50:055, Section 1 the owner or operator shall notify the Regional Office listed on the front of this permit concerning startups, shutdowns, or malfunctions as follows:
  - a. When emissions during any planned shutdowns and ensuing startups will exceed the standards, notification shall be made no later than three (3) days before the planned shutdown, or immediately following the decision to shut down, if the shutdown is due to events which could not have been foreseen three (3) days before the shutdown.
  - b. When emissions due to malfunctions, unplanned shutdowns and ensuing startups are or may be in excess of the standards, notification shall be made as promptly as possible by telephone (or other electronic media) and shall be submitted in writing upon request.
8. The owner or operator shall report emission related exceedances from permit requirements including those attributed to upset conditions (other than emission exceedances covered by Section F.7 above) to the Regional Office listed on the front of this permit within 30 days. Other deviations from permit requirements shall be included in the semiannual report required by Section F.5 [Section 1b V(3) and (4) of the *Cabinet Provisions and Procedures for Issuing Federally-Enforceable Permits for Non-Major Sources* incorporated by reference in 401 KAR 52:030 Section 10].
9. Pursuant to 401KAR 52:030, Section 21, the permittee shall annually certify compliance with the terms and conditions contained in this permit by completing and returning a Compliance Certification Form (DEP 7007CC) (or an alternative approved by the regional office) to the Regional Office listed on the front of this permit in accordance with the following requirements:
  - a. Identification of each term or condition;
  - b. Compliance status of each term or condition of the permit;
  - c. Whether compliance was continuous or intermittent;
  - d. The method used for determining the compliance status for the source, currently and over the reporting period.
  - e. For an emissions unit that was still under construction or which has not commenced operation at the end of the 12-month period covered by the annual compliance certification, the permittee shall indicate that the unit is under construction and that compliance with any applicable requirements will be demonstrated within the timeframes specified in the permit.

## **SECTION F - MONITORING, RECORDKEEPING, AND REPORTING REQUIREMENTS (CONTINUED)**

- f. The certification shall be postmarked by January 30th of each year. Annual compliance certifications should be mailed to the following addresses:

Division for Air Quality  
Owensboro Regional Office  
3032 Alvey Park Dr., STE 700  
Owensboro, KY 42303-2191

Division for Air Quality  
Central Files  
803 Schenkel Lane  
Frankfort, KY 40601

10. In accordance with 401KAR 52:030, Section 3(1)(d), the permittee shall provide the Division with all information necessary to determine its subject emissions within thirty (30) days of the date the KEIS emission survey is mailed to the permittee. If a KYEIS emission survey is not mailed to the permittee, then the permittee shall comply with all other emission reporting requirements in this permit.
11. Results of performance test(s) required by the permit shall be submitted to the Division by the source or its representative within forty-five days or sooner if required by an applicable standard, after the completion of the fieldwork.
12. The Cabinet may authorize the temporary use of an emission unit to replace a similar unit that is taken off-line for maintenance, if the following conditions are met:
- a. The owner or operator shall submit to the Cabinet, at least ten (10) days in advance of replacing a unit, the appropriate Forms DEP7007AI to DD that show:
    - i. The size and location of both the original and replacement units; and
    - ii. Any resulting change in emissions;
  - b. The PTE of the replacement unit shall not exceed that of the original unit by more than twenty-five (25) percent of a major source threshold, and the emissions from the unit shall not cause the source to exceed the emissions allowable under the permit;
  - c. The PTE of the replacement unit or the resulting PTE of the source shall not subject the source to a new applicable requirement;
  - d. The replacement unit shall comply with all applicable requirements; and
  - e. The source shall notify Regional office of all shutdowns and start-ups.
  - f. Within six (6) months after installing the replacement unit, the owner or operator shall:
    - i. Re-install the original unit and remove or dismantle the replacement unit; or
    - ii. Submit an application to permit the replacement unit as a permanent change.

## SECTION G - GENERAL PROVISIONS

### (a) General Compliance Requirements

1. The permittee shall comply with all conditions of this permit. A noncompliance shall be a violation of 401 KAR 52:030 Section 3(1)(b) and is also a violation of Federal Statute 42 USC 7401 through 7671q (the Clean Air Act). Noncompliance with this permit is grounds for enforcement action including but not limited to the termination, revocation and reissuance, revision, or denial of a permit [Section 1a (2) of the *Cabinet Provisions and Procedures for Issuing Federally-Enforceable Permits for Non-Major Sources* incorporated by reference in 401 KAR 52:030 Section 10].
2. The filing of a request by the permittee for any permit revision, revocation, reissuance, or termination, or of a notification of a planned change or anticipated noncompliance, shall not stay any permit condition [Section 1a (5) of the *Cabinet Provisions and Procedures for Issuing Federally-Enforceable Permits for Non-Major Sources* incorporated by reference in 401 KAR 52:030 Section 10].
3. This permit may be revised, revoked, reopened and reissued, or terminated for cause in accordance with 401 KAR 52:030 Section 18. The permit will be reopened for cause and revised accordingly under the following circumstances:
  - a. If additional applicable requirements become applicable to the source and the remaining permit term is three (3) years or longer. In this case, the reopening shall be completed no later than eighteen (18) months after promulgation of the applicable requirement. A reopening shall not be required if compliance with the applicable requirement is not required until after the date on which the permit is due to expire, unless this permit or any of its terms and conditions have been extended pursuant to 401 KAR 52:030 Section 12;
  - b. The Cabinet or the U. S. EPA determines that the permit must be revised or revoked to assure compliance with the applicable requirements;
  - c. The Cabinet or the U. S. EPA determines that the permit contains a material mistake or that inaccurate statements were made in establishing the emissions standards or other terms or conditions of the permit.
4. Proceedings to reopen and reissue a permit shall follow the same procedures as apply to initial permit issuance and shall affect only those parts of the permit for which cause to reopen exists. Reopenings shall be made as expeditiously as practicable. Reopenings shall not be initiated before a notice of intent to reopen is provided to the source by the Division, at least thirty (30) days in advance of the date the permit is to be reopened, except that the Division may provide a shorter time period in the case of an emergency.
5. The permittee shall furnish information upon request of the Cabinet to determine if cause exists for modifying, revoking and reissuing, or terminating the permit; or to determine compliance with the conditions of this permit [Sections 1a (6) and (7) of the *Cabinet Provisions and Procedures for Issuing Federally-Enforceable Permits for Non-Major Sources* incorporated by reference in 401 KAR 52:030 Section 10].



**SECTION G - GENERAL PROVISIONS (CONTINUED)**

6. The permittee, upon becoming aware that any relevant facts were omitted or incorrect information was submitted in the permit application, shall promptly submit such supplementary facts or corrected information to the permitting authority [401 KAR 52:030 Section 7(1)].
7. Any condition or portion of this permit which becomes suspended or is ruled invalid as a result of any legal or other action shall not invalidate any other portion or condition of this permit [Section 1a (11) of the *Cabinet Provisions and Procedures for Issuing Federally-Enforceable Permits for Non-Major Sources* incorporated by reference in 401 KAR 52:030 Section 10].
8. The permittee shall not use as a defense in an enforcement action the contention that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance [Section 1a (3) of the *Cabinet Provisions and Procedures for Issuing Federally-Enforceable Permits for Non-Major Sources* incorporated by reference in 401 KAR 52:030 Section 10].
9. Except for requirements identified in this permit as state-origin requirements, all terms and conditions shall be enforceable by the United States Environmental Protection Agency and citizens of the United States [Section 1a (12)(b) of the *Cabinet Provisions and Procedures for Issuing Federally-Enforceable Permits for Non-Major Sources* incorporated by reference in 401 KAR 52:030 Section 10].
10. This permit shall be subject to suspension if the permittee fails to pay all emissions fees within 90 days after the date of notice as specified in 401 KAR 50:038 Section 3(6) [Section 1a (9) of the *Cabinet Provisions and Procedures for Issuing Federally-Enforceable Permits for Non-Major Sources* incorporated by reference in 401 KAR 52:030 Section 10].
11. Nothing in this permit shall alter or affect the liability of the permittee for any violation of applicable requirements prior to or at the time of permit issuance [401 KAR 52:030 Section 11(3)].
12. This permit does not convey property rights or exclusive privileges [Section 1a (8) of the *Cabinet Provisions and Procedures for Issuing Federally-Enforceable Permits for Non-Major Sources* incorporated by reference in 401 KAR 52:030 Section 10].
13. Issuance of this permit does not relieve the permittee from the responsibility of obtaining any other permits, licenses, or approvals required by the Cabinet or any other federal, state, or local agency.
14. Nothing in this permit shall alter or affect the authority of U.S. EPA to obtain information pursuant to Federal Statute 42 USC 7414, Inspections, monitoring, and entry.
15. Nothing in this permit shall alter or affect the authority of U.S. EPA to impose emergency orders pursuant to Federal Statute 42 USC 7603, Emergency orders.

## **SECTION G - GENERAL PROVISIONS (CONTINUED)**

16. This permit consolidates the authority of any previously issued PSD, NSR, or Synthetic minor source preconstruction permit terms and conditions for various emission units and incorporates all requirements of those existing permits into one single permit for this source.
17. Permit Shield – A permit shield shall not protect the owner or operator from enforcement actions for violating an applicable requirement prior to or at the time of permit issuance. Compliance with the conditions of this permit shall be considered compliance with:
  - a. Applicable requirements that are included and specifically identified in this permit; and
  - b. Non-applicable requirements expressly identified in this permit.
18. Emission units described in this permit shall demonstrate compliance with applicable requirements if requested by the Division [401 KAR 52:030 Section 3(1)(c)].
19. The authority to operate granted through this permit shall cease to apply if the source fails to submit additional information requested by the Division after the completeness determination has been made on any application, by whatever deadline the Division sets [401 KAR 52:030 Section 8(2)].

(b) Permit Expiration and Reapplication Requirements

This permit shall remain in effect for a fixed term of five (5) years following the original date of issue. Permit expiration shall terminate the source's right to operate unless a timely and complete renewal application has been submitted to the Division at least six months prior to the expiration date of the permit. Upon a timely and complete submittal, the authorization to operate within the terms and conditions of this permit, including any permit shield, shall remain in effect beyond the expiration date, until the renewal permit is issued or denied by the Division [401 KAR 52:030 Section 12].

(c) Permit Revisions

1. Minor permit revision procedures specified in 401 KAR 52:030 Section 14 (3) may be used for permit revisions involving the use of economic incentive, marketable permit, emission trading, and other similar approaches, to the extent that these minor permit revision procedures are explicitly provided for in the SIP or in applicable requirements and meet the relevant requirements of 401 KAR 52:030 Section 14 (2).
2. This permit is not transferable by the permittee. Future owners and operators shall obtain a new permit from the Division for Air Quality. The new permit may be processed as an administrative amendment if no other change in this permit is necessary, and provided that a written agreement containing a specific date for transfer of permit responsibility coverage and liability between the current and new permittee has been submitted to the permitting authority within ten (10) days following the transfer.

## **SECTION G - GENERAL PROVISIONS (CONTINUED)**

(d) Construction, Start-Up, and Initial Compliance Demonstration Requirements

No construction authorized by this permit

(e) Acid Rain Program Requirements

1. If an applicable requirement of Federal Statute 42 USC 7401 through 7671q (the Clean Air Act) is more stringent than an applicable requirement promulgated pursuant to Federal Statute 42 USC 7651 through 7651o (Title IV of the Act), both provisions shall apply, and both shall be state and federally enforceable.

(f) Emergency Provisions

1. Pursuant to 401 KAR 52:030 Section 23(1), an emergency shall constitute an affirmative defense to an action brought for noncompliance with the technology-based emission limitations if the permittee demonstrates through properly signed contemporaneous operating logs or other relevant evidence that:
  - a. An emergency occurred and the permittee can identify the cause of the emergency;
  - b. The permitted facility was at the time being properly operated;
  - c. During an emergency, the permittee took all reasonable steps to minimize levels of emissions that exceeded the emissions standards or other requirements in the permit; and,
  - d. The permittee notified the Division as promptly as possible and submitted written notice of the emergency to the Division within two (2) working days of the time when emission limitations were exceeded due to an emergency. The notice shall include a description of the emergency, steps taken to mitigate emissions, and the corrective actions taken.
2. Notification of the Division does not relieve the source of any other local, state or federal notification requirements.
3. Emergency conditions listed in General Provision G(f)1 above are in addition to any emergency or upset provision(s) contained in an applicable requirement [401 KAR 52:030 Section 23(3)].
4. In an enforcement proceeding, the permittee seeking to establish the occurrence of an emergency shall have the burden of proof[401 KAR 52:030 Section 23(2)].

## SECTION G - GENERAL PROVISIONS (CONTINUED)

(g) Risk Management Provisions

1. The permittee shall comply with all applicable requirements of 401 KAR Chapter 68, Chemical Accident Prevention, which incorporates by reference 40 CFR Part 68, Risk Management Plan provisions. If required, the permittee shall comply with the Risk Management Program and submit a Risk Management Plan to:

RMP Reporting Center  
P.O. Box 1515  
Lanham-Seabrook, MD 20703-1515.

2. If requested, submit additional relevant information to the Division or the U.S. EPA.

(h) Ozone depleting substances

1. The permittee shall comply with the standards for recycling and emissions reduction pursuant to 40 CFR 82, Subpart F, except as provided for Motor Vehicle Air Conditioners (MVACs) in Subpart B:
  - a. Persons opening appliances for maintenance, service, repair, or disposal shall comply with the required practices contained in 40 CFR 82.156.
  - b. Equipment used during the maintenance, service, repair, or disposal of appliances shall comply with the standards for recycling and recovery equipment contained in 40 CFR 82.158.
  - c. Persons performing maintenance, service, repair, or disposal of appliances shall be certified by an approved technician certification program pursuant to 40 CFR 82.161.
  - d. Persons disposing of small appliances, MVACs, and MVAC-like appliances (as defined at 40 CFR 82.152) shall comply with the recordkeeping requirements pursuant to 40 CFR 82.166.
  - e. Persons owning commercial or industrial process refrigeration equipment shall comply with the leak repair requirements pursuant to 40 CFR 82.156.
  - f. Owners/operators of appliances normally containing 50 or more pounds of refrigerant shall keep records of refrigerant purchased and added to such appliances pursuant to 40 CFR 82.166.
2. If the permittee performs service on motor (fleet) vehicle air conditioners containing ozone-depleting substances, the source shall comply with all applicable requirements as specified in 40 CFR 82, Subpart B, *Servicing of Motor Vehicle Air Conditioners*.

**SECTION H - ALTERNATE OPERATING SCENARIOS**

None

**SECTION I - COMPLIANCE SCHEDULE**

N/A